

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064

Providing the best products and service since 2000

DLA Troop Support
Construction & Equipment
700 Robbins Ave.
Philadelphia, PA 19111

May 16, 2017

Proposal for Solicitation: SPE8E9-17-Q-0104

Ms. (b) (6),

Delaware Paint Company, a small business, is pleased to present a proposal for the RFQ: SPE8E9-17-Q-0104 for multiple NSN's. Delaware Paint Company possesses experience in supplying and manufacturing paint applicators and operates a 4,450 square foot facility in an industrial area of Delaware, Ohio and now a new (to us) 12,000 square foot production facility in Plain City, Ohio, north of Columbus. (b) (4)
(b) (4). We have included (b) (4) the contract. Delaware Paint Company is registered in the great State of Ohio and is in good standings with all federal, state and local licensures and permits. Included, is a certification that Delaware Paint Company is in good standing with the State of Ohio. No specific licensure is required in the State of Ohio for the manufacturing of paint applicators. Additionally, we have included the 25 year lease of our Plain City, Ohio facility.

Founded in 2000, Delaware Paint Company has distributed and/or manufactured paint applicators since the commencement of business. (b) (4), (b) (6)
(b) (4)

(b) (4)

The listed applicators are manufactured as follows:

Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064

Providing the best products and service since 2000

DPC's new facility in Plain City, Ohio



DPC's Warehouse



(b) (4)

Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064

Providing the best products and service since 2000

NSN: 8020-00-200-3487; is a 4" wide, synthetic bristle paint brush, .875" thick, 2.937" exposed bristles, meeting all specifications of A-A-3192A, Type II, Grade C, Size 4.

(b) (4)



(b) (4)



NSN: 8020-00-205-6500; Is a 3" wide Hog bristle brush, .813" thick, 3.313" exposed bristles, meeting all specifications of A-A-3192A Type 1, Grade A, Size 3"

(b) (4)



Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064

Providing the best products and service since 2000

(b) (4)



NSN: 8020-00-244-0153: is a 3/16"x 7/16", fitch artist brush with 1.25" exposed bristle and 8.25" coated handle, meeting all specifications of drawing 14153 RE-002440153.

(b) (4)



(b) (4)



NSN: 8020-00-244-0154: is a 3/8" x 3/4", fitch artist brush, with 1.5" exposed bristles and 8.25" coated handle, meeting all the specifications of drawing 14153 RE-002440154.

(b) (4)



(b) (4)



Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064

Providing the best products and service since 2000

NSN: 8020-00-244-0156: is a 7/8" x 1/2", fitch artist brush, with a 1 7/8" exposed bristles, and 8.25" coated handle, meeting all specifications (Delaware Paint Co.'s # 156)

(b) (4)



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

(b) (4)



NSN: 8020-00-245-4517: is a 3" wide, 1" thick, synthetic bristle paint brush with 3.187" exposed bristles that meets all specifications of A-A-3192A Type II, Grade A, Size 3.

(b) (4)



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064

Providing the best products and service since 2000

(b) (4)

A large rectangular area of the document is completely redacted with a solid black box.

NSN: 8020-00245-4519: is a 4", 1" wide, synthetic bristle paint brush with 3.687" exposed bristles that meets all specifications of A-A-3192A Type II, Grade A, Size 4.

(b) (4)

A large rectangular area of the document is completely redacted with a solid black box.A small rectangular area of the document is completely redacted with a solid black box.A small rectangular area of the document is completely redacted with a solid black box.A small rectangular area of the document is completely redacted with a solid black box.A small rectangular area of the document is completely redacted with a solid black box.A small rectangular area of the document is completely redacted with a solid black box.A small rectangular area of the document is completely redacted with a solid black box.

(b) (4)

A large rectangular area of the document is completely redacted with a solid black box.

NSN: 8020-00-245-4520: No Bid

NSN: 8020-00-260-1298: is a 3" wide Hog bristle brush, .688" thick, 2.813" exposed bristles, meeting all specifications of A-A-3192A Type 1, Grade B, Size 3.

(b) (4)

A large rectangular area of the document is completely redacted with a solid black box.

Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive


Plain City, Ohio 43064

Providing the best products and service since 2000

(b) (4)



(b) (4)




NSN: 8020-00-260-1305: is a 1.5" wide Hog bristle brush, 1/2" wide, 1 13/16" exposed bristles, meeting all specifications of A-A-3192A Type 1, Grade B, Size 1.5.

(b) (4)



(b) (4)



Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064

Providing the best products and service since 2000

NSN: 8020-00-262-9093; is 1" wide Hog bristle brush, .375" wide, 2" exposed bristles, meeting all specifications of A-A-3192A Type 1, Grade B, Size 1.

(b) (4)





NSN: 8020-00-263-3867; is a 2.5" wide synthetic paint brush, .625" thick, with 2.563" exposed bristles, meeting all specifications of A-A-3192A Type 2, Grade B, Size 2.5.

(b) (4)




(b) (4)



Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064

Providing the best products and service since 2000

NSN: 8020-00-263-3873; is a 7/8" x 11/16" oval brush with 2 3/16" exposed bristles, meeting all specifications of A-A-3193 Type 1, Class 2, Size 6.

(b) (4)




(b) (4)



NSN: 8020-00-550-8359; is a 2" synthetic paint brush, .563" wide, 2.313" exposed bristles, meeting all specifications of A-A-3192A Type II, Grade B, Size 2.

(b) (4)




(b) (4)



Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064


Providing the best products and service since 2000

NSN: 8020-00-559-0439; is a 1.5" angled paint brush, 7/16" thick, with 2 3/16" exposed bristles, meeting all specifications of A-A-3193 Type II, Class 1, Size 7.

(b) (4)



(b) (4)




NSN: 8020-00-559-9843; is a 2 1/2", synthetic paint brush .813" thick, meeting all specifications of A-A-3192A Type 2, Grade A, Size 2.5.

(b) (4)



(b) (4)



Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064

Providing the best products and service since 2000

NSN: 8020-00-597-4761: No Bid

NSN: 8020-00-597-4763: is a 2" Hog hair bristle paint brush, .313" thick, with exposed bristles of 1.563", meeting all specifications of A-A-3192A Type 1, Grade C, Size 2.

(b) (4)

(b) (4)

NSN: 8020-00-685-5393: is a 4" wide, 1" thick, synthetic bristle paint brush with 4.313" exposed bristles that meets all specifications of A-A-3192A Type II, Grade AA, Size 4.

(b) (4)

Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064

Providing the best products and service since 2000

(b) (4)



NSN: 8020-685-5394: No Bid

NSN: 8020-00-889-7919: No Bid

NSN: 8020-00-889-7920: is a 1" wide, synthetic bristle paint brush, .375" thick, 2.063" exposed bristles, meeting all specifications of A-A-3192A, Type II, Grade C, Size 1.

(b) (4)





(b) (4)



NSN: 8020-01-249-7736: is a 1.5" wide 'radiator paint brush', .5" wide, exposed Hog hair bristles, possessing a 45 degree angle at ferrule, and a 16" handle, meeting all specifications.

(b) (4)





Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505

Delaware Paint Company

8455 Rausch Drive

Plain City, Ohio 43064

Providing the best products and service since 2000

(b) (4)



NSN: 8020-01-421-6849 is a 2" synthetic paint brush, 9/16" wide, 2.75" exposed bristles, meeting all specifications of A-A-3192A Type II, Grade B, Size 2.

(b) (4)



(b) (4)



Thank you for the opportunity to quote.

If you have any questions, please, do not hesitate to contact me.

(b) (6)



Cage Code: 5FUY6

(740) 368-9981
(740) 368-9982 Fax
Paint / Applicators / Supplies

Duns: 006472505